Pain 123 (2006) 336–338

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 123 (2006)

Adam, B., Liebregts, T., Gschossmann, J.M., Krippner, C., Scholl, F., Ruwe, M., Holtmann, G., Severity of mucosal inflammation as a predictor for alterations of visceral sensory function in a rat model, **123** 179
Albrecht, P.J., Davar, G., Eisenberg, E., Pare, M., Rice, F.L., Response to Editorial on Albrecht et al. (2006), **123** 217
Anand, K.J.S., Bartocci, M., Lagercrantz, H., Cortical pain responses in the infant brain: Response to Slater et al.'s Letter to the Editor, **123** 332
Andersen, S.D., see Staahl, C., **123** 28
Apkarian, A.V., Chialvo, D.R., The shadows of pain, **123** 221
Arendt-Nielsen, L., see Staahl, C., **123** 28
Armati, P.J., see Mandadi, S., **123** 106

Back, S.K., Lee, J., Hong, S.K., Na, H.S., Loss of spinal μ-opioid receptor is associated with mechanical allodynia in a rat model of peripheral neuropathy, **123** 117
Baker, S., see Joshi, S.K., **123** 75
Baron, R., see Rolke, R., **123** 231
Bartocci, M., see Anand, K.J.S., **123** 332
Beems, T., see den Boer, J.J., **123** 45
Behrens, T.E., see Hadjipavlou, G., **123** 169
Bendtsen, L., see Buchgreitz, L., **123** 19
Beyer, A., see Rolke, R., **123** 231
Bianchi, E., see Galeotti, N., **123** 294
Binder, A., see Rolke, R., **123** 231
Birbaumer, N., see Rolke, R., **123** 231
Birklein, F., see Rolke, R., **123** 231
Bogeski, G., see Shafton, A.D., **123** 127
Borszcz, G.S., Contribution of the ventromedial hypothalamus to generation of the affective dimension of pain, **123** 155
Bötefür, I.C., see Rolke, R., **123** 231
Boyd, S., see Slater, R., **123** 332
Braune, S., see Rolke, R., **123** 231
Brown, S.C., see McGrath, P.A., **123** 1
Buchgreitz, L., Lyngberg, A.C., Bendtsen, L., Jensen, R., Frequency of headache is related to sensitization: A population study, **123** 19
Bussche, E.V. de, see De Vlieger, P., **123** 285

Chialvo, D.R., see Apkarian, A.V., **123** 221
Chichorro, J.G., Zampronio, A.R., Petto Souza, G.E., Rae, G.A., Orofacial cold hyperalgesia due to infraorbital nerve constriction injury in rats: Reversal by endothelin receptor antagonists but not non-steroidal anti-inflammatory drugs, **123** 64
Choi, E.S., see Son, B.C., **123** 210
Christrup, L.L., see Staahl, C., **123** 28
Crombez, G., see De Vlieger, P., **123** 285
Crombez, G., see Goubert, L., **123** 254
Crombez, G., see Sullivan, M.J.L., **123** 37
Crone, N.E., see Ohara, S., **123** 244

Dai, Y., see Seino, D., **123** 193
Davar, G., see Albrecht, P.J., **123** 217
De Vlieger, P., Bussche, E.V. de, Eccleston, C., Crombez, G., Finding a solution to the problem of pain: Conceptual formulation and the development of the Pain Solutions Questionnaire (PaSol), **123** 285
den Boer, J.J., Oostendorp, R.A.B., Beems, T., Munneke, M., Evers, A.W.M., Continued disability and pain after lumbar disc surgery: The role of cognitive-behavioral factors, **123** 45
Diatchenko, L., Nackley, A.G., Slade, G.D., Fillingim, R.B., Maixner, W., Idiopathic pain disorders – Pathways of vulnerability, **123** 226
Dickenson, A.H., see Rahman, W., **123** 264
Drewes, A.M., see Staahl, C., **123** 28
Drummond, P.D., Finch, P.M., Sensory changes in the forehead of patients with complex regional pain syndrome, **123** 83
Dunckley, P., see Hadjipavlou, G., **123** 169

Eccleston, C., see Goubert, L., **123** 254
Eccleston, C., see Keogh, E., **123** 275
Eccleston, C., see De Vlieger, P., **123** 285
Eisenberg, E., see Albrecht, P.J., **123** 217
Evers, A.W.M., see den Boer, J.J., **123** 45

Faltynek, C., see Joshi, S.K., **123** 75
Feeney, J.A., see Meredith, P., **123** 146
Ferens, D., see Shafton, A.D., **123** 127
Fillingim, R.B., see Diatchenko, L., **123** 226
Finch, P.M., see Drummond, P.D., **123** 83
Fitzgerald, M., see Slater, R., **123** 332
Flor, H., see Zohsel, K., **123** 10
Flor, H., see Rolke, R., **123** 231
Furness, J.B., see Shafton, A.D., **123** 127

Galeotti, N., Stefano, G.B., Guarna, M., Bianchi, E., Ghelardini, C., Signaling pathway of morphine induced acute thermal hyperalgesia in mice, **123** 294
Ghelardini, C., see Galeotti, N., **123** 294
Goubert, L., Eccleston, C., Vervoort, T., Jordan, A., Crombez, G., Parental catastrophizing about their child's pain. The parent version of the Pain Catastrophizing Scale (PCS-P): A preliminary validation, **123** 254
Gschossmann, J.M., see Adam, B., **123** 179
Guarna, M., see Galeotti, N., **123** 294

Hadjipavlou, G., Dunckley, P., Behrens, T.E., Tracey, I., Determining anatomical connectivities between cortical and brainstem pain processing regions in humans: A diffusion tensor imaging study in healthy controls, **123** 169
Han, P., see Joshi, S.K., **123** 75
Hermann, C., see Zohsel, K., **123** 10
Hernandez, G., see Joshi, S.K., **123** 75

doi:10.1016/S0304-3959(06)00336-8

Hohmeister, J., see Zohsel, K., **123** 10
Holtmann, G., see Adam, B., **123** 179
Hong, J.T., see Son, B.C., **123** 210
Hong, S.K., see Back, S.K., **123** 117
Honore, P., see Joshi, S.K., **123** 75
Huge, V., see Rolke, R., **123** 231
Hunt, S.P., see Rahman, W., **123** 264

Inui, K., see Tsuji, T., **123** 322

Jarvis, M.F., see Joshi, S.K., **123** 75
Jensen, R., see Buchgreitz, L., **123** 19
Johnson, S., Summers, J., Pridmore, S., Changes to somatosensory detection and pain thresholds following high frequency repetitive TMS of the motor cortex in individuals suffering from chronic pain, **123** 187
Jordan, A., see Goubert, L., **123** 254
Joshi, S.K., Mikusa, J.P., Hernandez, G., Baker, S., Shieh, C.-C., Neelands, T., Zhang, X.-F., Niforatos, W., Kage, K., Han, P., Krafte, D., Faltynek, C., Sullivan, J.P., Jarvis, M.F., Honore, P., Involvement of the TTX-resistant sodium channel Nav 1.8 in inflammatory and neuropathic, but not post-operative, pain states, **123** 75

Kage, K., see Joshi, S.K., **123** 75
Kakigi, R., see Tsuji, T., **123** 322
Karoly, P., Ruehlman, L.S., Psychological "resilience" and its correlates in chronic pain: Findings from a national community sample, **123** 90
Keogh, E., Eccleston, C., Sex differences in adolescent chronic pain and pain-related coping, **123** 275
Kidd, B.L., Osteoarthritis and joint pain, **123** 6
Kitchener, P.D., see Shafton, A.D., **123** 127
Klug, R., see Rolke, R., **123** 231
Kobayashi, K., see Seino, D., **123** 193
Koh, S.L., see Shafton, A.D., **123** 127
Kojima, S., see Tsuji, T., **123** 322
Krafte, D., see Joshi, S.K., **123** 75
Krippner, C., see Adam, B., **123** 179

Lagercrantz, H., see Anand, K.J.S., **123** 332
Landwehrmeyer, G.B., see Rolke, R., **123** 231
Lean, N.P., see Shafton, A.D., **123** 127
Lee, J., see Back, S.K., **123** 117
Lee, S.W., see Son, B.C., **123** 210
Lenz, F.A., see Treede, R.-D., **123** 223
Lenz, F.A., see Ohara, S., **123** 244
Li, Z., see McDougall, J.J., **123** 98
Liebregts, T., see Adam, B., **123** 179
Liu, X.-G., see Xu, J.-T., **123** 306
Lyngberg, A.C., see Buchgreitz, L., **123** 19

Magerl, W., see Rolke, R., **123** 231
Maier, C., see Rolke, R., **123** 231
Maihöfner, C., see Rolke, R., **123** 231
Mailis-Gagnon, A., Disrupted central somatosensory processing in CRPS: A unique characteristic of the syndrome?, **123** 3
Maixner, W., see Diatchenko, L., **123** 226
Mandadi, S., Tominaga, T., Numazaki, M., Murayama, N., Saito, N., Armati, P.J., Roufogalis, B.D., Tominaga, M., Increased sensitivity of desensitized TRPV1 by PMA occurs through PKC&z.epsiv;-mediated phosphorylation at S800, **123** 106
Martel, M.O., see Sullivan, M.J.L., **123** 37
McCracken, L.M., Yang, S.-Y., The role of values in a contextual cognitive-behavioral approach to chronic pain, **123** 137
McDougall, J.J., Watkins, L., Li, Z., Vasoactive intestinal peptide (VIP) is a modulator of joint pain in a rat model of osteoarthritis, **123** 98
McGrath, P.A., Brown, S.C., Quantitative sensory testing in children: Practical considerations for research and clinical practice, **123** 1
Meek, J., see Slater, R., **123** 332
Meredith, P., Strong, J., Feeney, J.A., Adult attachment, anxiety, and pain self-efficacy as predictors of pain intensity and disability, **123** 146
Mikusa, J.P., see Joshi, S.K., **123** 75
Munneke, M., see den Boer, J.J., **123** 45
Murayama, N., see Mandadi, S., **123** 106

Na, H.S., see Back, S.K., **123** 117
Nackley, A.G., see Diatchenko, L., **123** 226
Neelands, T., see Joshi, S.K., **123** 75
Newton-John, T.R., Williams, A. C de C, Chronic pain couples: Perceived marital interactions and pain behaviours, **123** 53
Niforatos, W., see Joshi, S.K., **123** 75
Noguchi, K., see Seino, D., **123** 193
Numazaki, M., see Mandadi, S., **123** 106

Oaklander, A.L., Response to PAIN editorial re: Oaklander et al. (2006), **123** 218
Oaklander, A.L., see Stoler, J.M., **123** 204
Obata, K., see Seino, D., **123** 193
Ochoa, J.L., Is CRPS I a neuropathic pain syndrome?, **123** 334
Oelkers-Ax, R., see Zohsel, K., **123** 10
Ohara, S., Crone, N.E., Weiss, N., Lenz, F.A., Analysis of synchrony demonstrates 'pain networks' defined by rapidly switching, task-specific, functional connectivity between pain-related cortical structures, **123** 244
Oostendorp, R.A.B., see den Boer, J.J., **123** 45

Pare, M., see Albrecht, P.J., **123** 217
Petersen, K.L., Rowbotham, M.C., Quantitative sensory testing scaled up for multicenter clinical research networks: A promising start, **123** 219
Petto Souza, G.E., see Chichorro, J.G., **123** 64
Pridmore, S., see Johnson, S., **123** 187

Rae, G.A., see Chichorro, J.G., **123** 64
Rahman, W., Suzuki, R., Webber, M., Hunt, S.P., Dickenson, A.H., Depletion of endogenous spinal 5-HT attenuates the behavioural hypersensitivity to mechanical and cooling stimuli induced by spinal nerve ligation, **123** 264
Rice, F.L., see Albrecht, P.J., **123** 217
Rolke, R., Baron, R., Maier, C., Tölle, T.R., Treede, R.-D., Beyer, A., Binder, A., Birbaumer, N., Birklein, F., Bötefür, I.C., Braune, S., Flor, H., Huge, V., Klug, R., Landwehrmeyer, G.B., Magerl, W., Maihöfner, C., Rolko, C., Schaub, C., Scherens, A., Sprenger, T., Valet, M., Wasserka, B., Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values, **123** 231
Rolko, C., see Rolke, R., **123** 231
Roufogalis, B.D., see Mandadi, S., **123** 106
Rowbotham, M.C., see Petersen, K.L., **123** 219
Ruehlman, L.S., see Karoly, P., **123** 90
Ruwe, M., see Adam, B , **123** 179

Saito, N., see Mandadi, S., **123** 106
Savard, A., see Sullivan, M.J.L., **123** 37
Schaub, C., see Rolke, R., **123** 231
Scherens, A., see Rolke, R., **123** 231
Scholl, F., see Adam, B., **123** 179
Seino, D., Tokunaga, A., Tachibana, T., Yoshiya, S., Dai, Y., Obata, K., Yamanaka, H., Kobayashi, K., Noguchi, K., The role of ERK signaling and the P2X receptor on mechanical pain evoked by movement of inflamed knee joint, **123** 193

Shafton, A.D., Furness, J.B., Ferens, D., Bogeski, G., Koh, S.L., Lean, N.P., Kitchener, P.D., The visceromotor responses to colorectal distension and skin pinch are inhibited by simultaneous jejunal distension, **123** 127
Shieh, C.-C., see Joshi, S.K., **123** 75
Slade, G.D., see Diatchenko, L., **123** 226
Slater, R., Boyd, S., Meek, J., Fitzgerald, M., Cortical pain responses in the infant brain, **123** 332
Son, B.C., Lee, S.W., Choi, E.S., Sung, J.H., Hong, J.T., Motor cortex stimulation for central pain following a traumatic brain injury, **123** 210
Sprenger, T., see Rolke, R., **123** 231
Staahl, C., Christrup, L.L., Andersen, S.D., Arendt-Nielsen, L., Drewes, A.M., A comparative study of oxycodone and morphine in a multimodal, tissue-differentiated experimental pain model, **123** 28
Stefano, G.B., see Galeotti, N., **123** 294
Stoler, J.M., Oaklander, A.L., Patients with Ehlers Danlos syndrome and CRPS: A possible association?, **123** 204
Strong, J., see Meredith, P., **123** 146
Sullivan, J.P., see Joshi, S.K., **123** 75
Sullivan, M.J.L., Martel, M.O., Tripp, D.A., Savard, A., Crombez, G., Catastrophic thinking and heightened perception of pain in others, **123** 37
Summers, J., see Johnson, S., **123** 187
Sung, J.H., see Son, B.C., **123** 210
Suzuki, R., see Rahman, W., **123** 264

Tachibana, T., see Seino, D., **123** 193
Tokunaga, A., see Seino, D., **123** 193
Tominaga, M., see Mandadi, S., **123** 106
Tölle, T.R., see Rolke, R., **123** 231
Tominaga, T., see Mandadi, S., **123** 106
Tracey, I., see Hadjipavlou, G., **123** 169
Treede, R.-D., Lenz, F.A., Passing lanes and slow lanes into the nociceptive network of the human brain, **123** 223
Treede, R.-D., see Rolke, R., **123** 231
Tripp, D.A., see Sullivan, M.J.L., **123** 37
Tsuji, T., Inui, K., Kojima, S., Kakigi, R., Multiple pathways for noxious information in the human spinal cord, **123** 322

Valet, M., see Rolke, R., **123** 231
Vervoort, T., see Goubert, L., **123** 254

Wasserka, B., see Rolke, R., **123** 231
Watkins, L., see McDougall, J.J., **123** 98
Webber, M., see Rahman, W., **123** 264
Weiss, N., see Ohara, S., **123** 244
Williams, A. C de C, see Newton-John, T.R., **123** 53
Wu, C.-Y., see Xu, J.-T., **123** 306

Xin, W.-J., see Xu, J.-T., **123** 306
Xu, J.-T., Xin, W.-J., Zang, Y., Wu, C.-Y., Liu, X.-G., The role of tumor necrosis factor-alpha in the neuropathic pain induced by Lumbar 5 ventral root transection in rat, **123** 306

Yamanaka, H., see Seino, D., **123** 193
Yang, S.-Y., see McCracken, L.M., **123** 137
Yoshiya, S., see Seino, D., **123** 193

Zampronio, A.R., see Chichorro, J.G., **123** 64
Zang, Y., see Xu, J.-T., **123** 306
Zhang, X.-F., see Joshi, S.K., **123** 75
Zohsel, K., Hohmeister, J., Oelkers-Ax, R., Flor, H., Hermann, C., Quantitative sensory testing in children with migraine: Preliminary evidence for enhanced sensitivity to painful stimuli especially in girls, **123** 10

Pain 123 (2006) 339–343

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 123 (2006)

Abdominal pain
Severity of mucosal inflammation as a predictor for alterations of visceral sensory function in a rat model **123**, 179
Acceptance
The role of values in a contextual cognitive-behavioral approach to chronic pain **123**, 137
Acceptance
Finding a solution to the problem of pain: Conceptual formulation and the development of the Pain Solutions Questionnaire (PaSol) **123**, 285
Acceptance and commitment therapy
The role of values in a contextual cognitive-behavioral approach to chronic pain **123**, 137
Adolescent
Sex differences in adolescent chronic pain and pain-related coping **123**, 275
Adolescents
Parental catastrophizing about their child's pain. The parent version of the Pain Catastrophizing Scale (PCS-P): A preliminary validation **123**, 254
Adult attachment theory
Adult attachment, anxiety, and pain self-efficacy as predictors of pain intensity and disability **123**, 146
Algesiometry
Vasoactive intestinal peptide (VIP) is a modulator of joint pain in a rat model of osteoarthritis **123**, 98
Allodynia
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Anxiety
Adult attachment, anxiety, and pain self-efficacy as predictors of pain intensity and disability **123**, 146
Arthritis
The role of ERK signaling and the P2X receptor on mechanical pain evoked by movement of inflamed knee joint **123**, 193
ATP receptors
The role of ERK signaling and the P2X receptor on mechanical pain evoked by movement of inflamed knee joint **123**, 193
Attention
Analysis of synchrony demonstrates 'pain networks' defined by rapidly switching, task-specific, functional connectivity between pain-related cortical structures **123**, 244
Behaviour
Depletion of endogenous spinal 5-HT attenuates the behavioural hypersensitivity to mechanical and cooling stimuli induced by spinal nerve ligation **123**, 264
Catastrophizing
Catastrophic thinking and heightened perception of pain in others **123**, 37
Catastrophizing
Psychological "resilience" and its correlates in chronic pain: Findings from a national community sample **123**, 90
Catastrophizing
Parental catastrophizing about their child's pain. The parent version of the Pain Catastrophizing Scale (PCS-P): A preliminary validation **123**, 254
Catastrophizing
Sex differences in adolescent chronic pain and pain-related coping **123**, 275
Central integration
The visceromotor responses to colorectal distension and skin pinch are inhibited by simultaneous jejunal distension **123**, 127
Central pain
Motor cortex stimulation for central pain following a traumatic brain injury **123**, 210
Central pain syndrome
Sensory changes in the forehead of patients with complex regional pain syndrome **123**, 83
Central sensitization
Frequency of headache is related to sensitization: A population study **123**, 19
Children
Quantitative sensory testing in children with migraine: Preliminary evidence for enhanced sensitivity to painful stimuli especially in girls **123**, 10
Children
Parental catastrophizing about their child's pain. The parent version of the Pain Catastrophizing Scale (PCS-P): A preliminary validation **123**, 254
Chronic constriction injury
Involvement of the TTX-resistant sodium channel Nav 1.8 in inflammatory and neuropathic, but not post-operative, pain states **123**, 75
Chronic pain
Continued disability and pain after lumbar disc surgery: The role of cognitive-behavioral factors **123**, 45
Chronic pain
Chronic pain couples: Perceived marital interactions and pain behaviours **123**, 53
Chronic pain
Psychological "resilience" and its correlates in chronic pain: Findings from a national community sample **123**, 90
Chronic pain
The role of values in a contextual cognitive-behavioral approach to chronic pain **123**, 137
Chronic pain
Adult attachment, anxiety, and pain self-efficacy as predictors of pain intensity and disability **123**, 146

doi:10.1016/S0304-3959(06)00337-X

Chronic pain
Changes to somatosensory detection and pain thresholds following high frequency repetitive TMS of the motor cortex in individuals suffering from chronic pain **123**, 187
Chronic pain
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Chronic pain
Sex differences in adolescent chronic pain and pain-related coping **123**, 275
Chronic pain
Finding a solution to the problem of pain: Conceptual formulation and the development of the Pain Solutions Questionnaire (PaSol) **123**, 285
Cognitive-behavioral approaches
The role of values in a contextual cognitive-behavioral approach to chronic pain **123**, 137
Cognitive-behavioral factors
Continued disability and pain after lumbar disc surgery: The role of cognitive-behavioral factors **123**, 45
Cold
Orofacial cold hyperalgesia due to infraorbital nerve constriction injury in rats: Reversal by endothelin receptor antagonists but not non-steroidal anti-inflammatory drugs **123**, 64
Colorectal distension
Severity of mucosal inflammation as a predictor for alterations of visceral sensory function in a rat model **123**, 179
Complex multifactorial diseases
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Complex regional pain syndrome
Sensory changes in the forehead of patients with complex regional pain syndrome **123**, 83
Complex traits
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Conduction velocity
Multiple pathways for noxious information in the human spinal cord **123**, 322
Connective tissue
Patients with Ehlers Danlos syndrome and CRPS: A possible association? **123**, 204
Coping
Psychological "resilience" and its correlates in chronic pain: Findings from a national community sample **123**, 90
Coping
Sex differences in adolescent chronic pain and pain-related coping **123**, 275
Cortex
Analysis of synchrony demonstrates 'pain networks' defined by rapidly switching, task-specific, functional connectivity between pain-related cortical structures **123**, 244
CTOP
Loss of spinal μ-opioid receptor is associated with mechanical allodynia in a rat model of peripheral neuropathy **123**, 117
Cytokine
Severity of mucosal inflammation as a predictor for alterations of visceral sensory function in a rat model **123**, 179
Descending facilitation
Depletion of endogenous spinal 5-HT attenuates the behavioural hypersensitivity to mechanical and cooling stimuli induced by spinal nerve ligation **123**, 264
Disability
Chronic pain couples: Perceived marital interactions and pain behaviours **123**, 53
Disability
Adult attachment, anxiety, and pain self-efficacy as predictors of pain intensity and disability **123**, 146
Distress
Parental catastrophizing about their child's pain. The parent version of the Pain Catastrophizing Scale (PCS-P): A preliminary validation **123**, 254
Dorsal root ganglion
The role of ERK signaling and the P2X receptor on mechanical pain evoked by movement of inflamed knee joint **123**, 193
Dorsal root ganglion
The role of tumor necrosis factor-alpha in the neuropathic pain induced by Lumbar 5 ventral root transection in rat **123**, 306
DTI
Determining anatomical connectivities between cortical and brainstem pain processing regions in humans: A diffusion tensor imaging study in healthy controls **123**, 169
Electrocorticography
Analysis of synchrony demonstrates 'pain networks' defined by rapidly switching, task-specific, functional connectivity between pain-related cortical structures **123**, 244
Electroencephalography
Multiple pathways for noxious information in the human spinal cord **123**, 322
Electrophysiology
Depletion of endogenous spinal 5-HT attenuates the behavioural hypersensitivity to mechanical and cooling stimuli induced by spinal nerve ligation **123**, 264
Emotion
Contribution of the ventromedial hypothalamus to generation of the affective dimension of pain **123**, 155
Endothelin
Orofacial cold hyperalgesia due to infraorbital nerve constriction injury in rats: Reversal by endothelin receptor antagonists but not non-steroidal anti-inflammatory drugs **123**, 64
ERK
The role of ERK signaling and the P2X receptor on mechanical pain evoked by movement of inflamed knee joint **123**, 193
Experimental pain
A comparative study of oxycodone and morphine in a multi-modal, tissue-differentiated experimental pain model **123**, 28
Fear avoidance behavior
Continued disability and pain after lumbar disc surgery: The role of cognitive-behavioral factors **123**, 45
Fibromyalgia syndrome (FMS)
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
$GABA_A$ receptor
Contribution of the ventromedial hypothalamus to generation of the affective dimension of pain **123**, 155
General population
Frequency of headache is related to sensitization: A population study **123**, 19
Genetic predisposition
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Genetics
Patients with Ehlers Danlos syndrome and CRPS: A possible association? **123**, 204
5-HT
Depletion of endogenous spinal 5-HT attenuates the behavioural hypersensitivity to mechanical and cooling stimuli induced by spinal nerve ligation **123**, 264
Hyperalgesia
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Hyperalgesia
Signaling pathway of morphine induced acute thermal hyperalgesia in mice **123**, 294

Hypoalgesia
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Hypoesthesia
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Hypothalamus
Contribution of the ventromedial hypothalamus to generation of the affective dimension of pain **123**, 155
Idiopathic pain disorders
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Incapacitance
Vasoactive intestinal peptide (VIP) is a modulator of joint pain in a rat model of osteoarthritis **123**, 98
Inflammation
Severity of mucosal inflammation as a predictor for alterations of visceral sensory function in a rat model **123**, 179
Inflammatory pain
Involvement of the TTX-resistant sodium channel Nav 1.8 in inflammatory and neuropathic, but not post-operative, pain states **123**, 75
Inherited disorder of collagen
Patients with Ehlers Danlos syndrome and CRPS: A possible association? **123**, 204
Irritable bowel syndrome (IBS)
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Joint pain
Vasoactive intestinal peptide (VIP) is a modulator of joint pain in a rat model of osteoarthritis **123**, 98
Joint pain
The role of ERK signaling and the P2X receptor on mechanical pain evoked by movement of inflamed knee joint **123**, 193
Laser
Analysis of synchrony demonstrates 'pain networks' defined by rapidly switching, task-specific, functional connectivity between pain-related cortical structures **123**, 244
Laser evoked potential
Multiple pathways for noxious information in the human spinal cord **123**, 322
Lumbar disc surgery
Continued disability and pain after lumbar disc surgery: The role of cognitive-behavioral factors **123**, 45
Marital satisfaction
Chronic pain couples: Perceived marital interactions and pain behaviours **123**, 53
Mechanical allodynia
Loss of spinal μ-opioid receptor is associated with mechanical allodynia in a rat model of peripheral neuropathy **123**, 117
Migraine
Quantitative sensory testing in children with migraine: Preliminary evidence for enhanced sensitivity to painful stimuli especially in girls **123**, 10
Migraine
Frequency of headache is related to sensitization: A population study **123**, 19
Monoiodoacetate
Vasoactive intestinal peptide (VIP) is a modulator of joint pain in a rat model of osteoarthritis **123**, 98
Morphine
A comparative study of oxycodone and morphine in a multi-modal, tissue-differentiated experimental pain model **123**, 28
Morphine
Signaling pathway of morphine induced acute thermal hyperalgesia in mice **123**, 294
Motor cortex
Changes to somatosensory detection and pain thresholds following high frequency repetitive TMS of the motor cortex in individuals suffering from chronic pain **123**, 187
Motor cortex stimulation
Motor cortex stimulation for central pain following a traumatic brain injury **123**, 210
Naloxone
Loss of spinal μ-opioid receptor is associated with mechanical allodynia in a rat model of peripheral neuropathy **123**, 117
Nav 1.8
Involvement of the TTX-resistant sodium channel Nav 1.8 in inflammatory and neuropathic, but not post-operative, pain states **123**, 75
NCF
Determining anatomical connectivities between cortical and brainstem pain processing regions in humans: A diffusion tensor imaging study in healthy controls **123**, 169
Networks
Analysis of synchrony demonstrates 'pain networks' defined by rapidly switching, task-specific, functional connectivity between pain-related cortical structures **123**, 244
Neuropathic
Depletion of endogenous spinal 5-HT attenuates the behavioural hypersensitivity to mechanical and cooling stimuli induced by spinal nerve ligation **123**, 264
Neuropathic pain
Involvement of the TTX-resistant sodium channel Nav 1.8 in inflammatory and neuropathic, but not post-operative, pain states **123**, 75,
Neuropathic pain
Loss of spinal μ-opioid receptor is associated with mechanical allodynia in a rat model of peripheral neuropathy **123**, 117
Neuropathic pain
The role of tumor necrosis factor-alpha in the neuropathic pain induced by Lumbar 5 ventral root transection in rat **123**, 306
Neuropeptides
Vasoactive intestinal peptide (VIP) is a modulator of joint pain in a rat model of osteoarthritis **123**, 98
NMDA receptor
Signaling pathway of morphine induced acute thermal hyperalgesia in mice **123**, 294
Nociception
Involvement of the TTX-resistant sodium channel Nav 1.8 in inflammatory and neuropathic, but not post-operative, pain states **123**, 75
Nociception
The visceromotor responses to colorectal distension and skin pinch are inhibited by simultaneous jejunal distension **123**, 127
Nociception
Contribution of the ventromedial hypothalamus to generation of the affective dimension of pain **123**, 155
Opioid receptor
Signaling pathway of morphine induced acute thermal hyperalgesia in mice **123**, 294
Osteoarthritis
Vasoactive intestinal peptide (VIP) is a modulator of joint pain in a rat model of osteoarthritis **123**, 98
Outcome expectancies
Continued disability and pain after lumbar disc surgery: The role of cognitive-behavioral factors **123**, 45
Oxycodone
A comparative study of oxycodone and morphine in a multi-modal, tissue-differentiated experimental pain model **123**, 28

PAG
Determining anatomical connectivities between cortical and brainstem pain processing regions in humans: A diffusion tensor imaging study in healthy controls **123**, 169
Pain
Determining anatomical connectivities between cortical and brainstem pain processing regions in humans: A diffusion tensor imaging study in healthy controls **123**, 169
Pain
Patients with Ehlers Danlos syndrome and CRPS: A possible association? **123**, 204
Pain
Analysis of synchrony demonstrates 'pain networks' defined by rapidly switching, task-specific, functional connectivity between pain-related cortical structures **123**, 244
Pain
Parental catastrophizing about their child's pain. The parent version of the Pain Catastrophizing Scale (PCS-P): A preliminary validation **123**, 254
Pain
Finding a solution to the problem of pain: Conceptual formulation and the development of the Pain Solutions Questionnaire (PaSol) **123**, 285
Pain
Multiple pathways for noxious information in the human spinal cord **123**, 322
Pain amplification
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Pain attitudes
Psychological "resilience" and its correlates in chronic pain: Findings from a national community sample **123**, 90
Pain behaviour
Catastrophic thinking and heightened perception of pain in others **123**, 37
Pain catastrophizing
Finding a solution to the problem of pain: Conceptual formulation and the development of the Pain Solutions Questionnaire (PaSol) **123**, 285
Pain communication
Catastrophic thinking and heightened perception of pain in others **123**, 37
Pain coping
Continued disability and pain after lumbar disc surgery: The role of cognitive-behavioral factors **123**, 45
Pain intensity
Adult attachment, anxiety, and pain self-efficacy as predictors of pain intensity and disability **123**, 146
Pain self-efficacy
Adult attachment, anxiety, and pain self-efficacy as predictors of pain intensity and disability **123**, 146
Pain thresholds
Changes to somatosensory detection and pain thresholds following high frequency repetitive TMS of the motor cortex in individuals suffering from chronic pain **123**, 187
Paradoxical heat sensation
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Parents
Parental catastrophizing about their child's pain. The parent version of the Pain Catastrophizing Scale (PCS-P): A preliminary validation **123**, 254
Pavlovian conditioning
Contribution of the ventromedial hypothalamus to generation of the affective dimension of pain **123**, 155
Perceiving others' pain
Catastrophic thinking and heightened perception of pain in others **123**, 37
Peripheral nerve injury
Loss of spinal μ-opioid receptor is associated with mechanical allodynia in a rat model of peripheral neuropathy **123**, 117
Peripheral sensitization
The role of ERK signaling and the P2X receptor on mechanical pain evoked by movement of inflamed knee joint **123**, 193
Phospholipase β
Signaling pathway of morphine induced acute thermal hyperalgesia in mice **123**, 294
Phosphorylation
Increased sensitivity of desensitized TRPV1 by PMA occurs through PKCε-mediated phosphorylation at S800 **123**, 106
PKCε
Increased sensitivity of desensitized TRPV1 by PMA occurs through PKCε-mediated phosphorylation at S800 **123**, 106
Problem solving
Finding a solution to the problem of pain: Conceptual formulation and the development of the Pain Solutions Questionnaire (PaSol) **123**, 285
Protein kinase Cγ
Signaling pathway of morphine induced acute thermal hyperalgesia in mice **123**, 294
Psychological distress
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
QST
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Quantitative sensory testing
Quantitative sensory testing in children with migraine: Preliminary evidence for enhanced sensitivity to painful stimuli especially in girls **123**, 10
Questionnaire
Finding a solution to the problem of pain: Conceptual formulation and the development of the Pain Solutions Questionnaire (PaSol) **123**, 285
Rat
Orofacial cold hyperalgesia due to infraorbital nerve constriction injury in rats: Reversal by endothelin receptor antagonists but not non-steroidal anti-inflammatory drugs **123**, 64
Reference data
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Reflex sympathetic dystrophy
Patients with Ehlers Danlos syndrome and CRPS: A possible association? **123**, 204
Repetitive TMS
Changes to somatosensory detection and pain thresholds following high frequency repetitive TMS of the motor cortex in individuals suffering from chronic pain **123**, 187
Resilience
Psychological "resilience" and its correlates in chronic pain: Findings from a national community sample **123**, 90
Risk factor
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Sensitization
Quantitative sensory testing in children with migraine: Preliminary evidence for enhanced sensitivity to painful stimuli especially in girls **123**, 10

Sensory profile
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Sensory profiling
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Sex differences
Quantitative sensory testing in children with migraine: Preliminary evidence for enhanced sensitivity to painful stimuli especially in girls **123**, 10
Sex differences
Sex differences in adolescent chronic pain and pain-related coping **123**, 275
Single nucleotide polymorphism (SNP)
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Social support
Psychological "resilience" and its correlates in chronic pain: Findings from a national community sample **123**, 90
Sodium channel
Involvement of the TTX-resistant sodium channel Nav 1.8 in inflammatory and neuropathic, but not post-operative, pain states **123**, 75
Solicitous
Chronic pain couples: Perceived marital interactions and pain behaviours **123**, 53
Somatic pain
The visceromotor responses to colorectal distension and skin pinch are inhibited by simultaneous jejunal distension **123**, 127
Somatization
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Somatosensory detection thresholds
Changes to somatosensory detection and pain thresholds following high frequency repetitive TMS of the motor cortex in individuals suffering from chronic pain **123**, 187
Spinal μ-opioid receptor
Loss of spinal μ-opioid receptor is associated with mechanical allodynia in a rat model of peripheral neuropathy **123**, 117
Spinal cord
Depletion of endogenous spinal 5-HT attenuates the behavioural hypersensitivity to mechanical and cooling stimuli induced by spinal nerve ligation **123**, 264
Spinal cord
The role of tumor necrosis factor-alpha in the neuropathic pain induced by Lumbar 5 ventral root transection in rat **123**, 306
Spinothalamic tracts
Multiple pathways for noxious information in the human spinal cord **123**, 322
Spouse responses
Chronic pain couples: Perceived marital interactions and pain behaviours **123**, 53
Standardized instructions
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231
Static mechanical hyperalgesia
Sensory changes in the forehead of patients with complex regional pain syndrome **123**, 83
Synchrony
Analysis of synchrony demonstrates 'pain networks' defined by rapidly switching, task-specific, functional connectivity between pain-related cortical structures **123**, 244
Temporomandibular joint disorders (TMJD)
Idiopathic pain disorders – Pathways of vulnerability **123**, 226
Tension-type headache
Frequency of headache is related to sensitization: A population study **123**, 19
Thalamus
Sensory changes in the forehead of patients with complex regional pain syndrome **123**, 83
Traumatic brain injury
Motor cortex stimulation for central pain following a traumatic brain injury **123**, 210
Trigeminal neuralgia
Orofacial cold hyperalgesia due to infraorbital nerve constriction injury in rats: Reversal by endothelin receptor antagonists but not non-steroidal anti-inflammatory drugs **123**, 64
Trinitrobenzenesulfonic acid (TNBS)
Severity of mucosal inflammation as a predictor for alterations of visceral sensory function in a rat model **123**, 179
TRPV1
Increased sensitivity of desensitized TRPV1 by PMA occurs through PKCε-mediated phosphorylation at S800 **123**, 106
Tumor necrosis factor receptor
The role of tumor necrosis factor-alpha in the neuropathic pain induced by Lumbar 5 ventral root transection in rat **123**, 306
Tumor necrosis factor-alpha
The role of tumor necrosis factor-alpha in the neuropathic pain induced by Lumbar 5 ventral root transection in rat **123**, 306
Ventral root transection
The role of tumor necrosis factor-alpha in the neuropathic pain induced by Lumbar 5 ventral root transection in rat **123**, 306
Visceral hyperalgesia
Severity of mucosal inflammation as a predictor for alterations of visceral sensory function in a rat model **123**, 179
Visceral pain
A comparative study of oxycodone and morphine in a multi-modal, tissue-differentiated experimental pain model **123**, 28
Visceral pain
The visceromotor responses to colorectal distension and skin pinch are inhibited by simultaneous jejunal distension **123**, 127
Vocalization
Contribution of the ventromedial hypothalamus to generation of the affective dimension of pain **123**, 155
z-score
Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values **123**, 231

Pain 123 (2006) 344–346

PAIN

www.elsevier.com/locate/pain

Contents to Volume 123 (2006)

Numbers 1,2 – July 2006

EDITORIALS

Quantitative sensory testing in children: Practical considerations for research and clinical practice
P.A. McGrath, S.C. Brown (Canada) 1

Disrupted central somatosensory processing in CRPS: A unique characteristic of the syndrome?
A. Mailis-Gagnon (Canada) 3

TOPICAL REVIEW

Osteoarthritis and joint pain
B.L. Kidd (UK) 6

RESEARCH PAPERS

Quantitative sensory testing in children with migraine: Preliminary evidence for enhanced sensitivity to painful stimuli especially in girls
K. Zohsel, J. Hohmeister, R. Oelkers-Ax, H. Flor, C. Hermann (Germany) 10

Frequency of headache is related to sensitization: A population study
L. Buchgreitz, A.C. Lyngberg, L. Bendtsen, R. Jensen (Denmark) 19

A comparative study of oxycodone and morphine in a multi-modal, tissue-differentiated experimental pain model
C. Staahl, L.L. Christrup, S.D. Andersen, L. Arendt-Nielsen, A.M. Drewes (Denmark) 28

Catastrophic thinking and heightened perception of pain in others
M.J.L. Sullivan, M.O. Martel, D.A. Tripp, A. Savard, G. Crombez (Canada, Belgium) 37

Continued disability and pain after lumbar disc surgery: The role of cognitive-behavioral factors
J.J. den Boer, R.A.B. Oostendorp, T. Beems, M. Munneke, A.W.M. Evers (The Netherlands) 45

Chronic pain couples: Perceived marital interactions and pain behaviours
T.R. Newton-John, A. C de C Williams (Australia, United Kingdom) 53

Orofacial cold hyperalgesia due to infraorbital nerve constriction injury in rats: Reversal by endothelin receptor antagonists but not non-steroidal anti-inflammatory drugs
J.G. Chichorro, A.R. Zampronio, G.E. Petto Souza, G.A. Rae (Brazil) 64

Involvement of the TTX-resistant sodium channel Nav 1.8 in inflammatory and neuropathic, but not post-operative, pain states
S.K. Joshi, J.P. Mikusa, G. Hernandez, S. Baker, C.-C. Shieh, T. Neelands, X.-F. Zhang, W. Niforatos, K. Kage, P. Han, D. Krafte, C. Faltynek, J.P. Sullivan, M.F. Jarvis, P. Honore (USA) 75

Sensory changes in the forehead of patients with complex regional pain syndrome
P.D. Drummond, P.M. Finch (Australia) 83

Psychological "resilience" and its correlates in chronic pain: Findings from a national community sample
P. Karoly, L.S. Ruehlman (USA) 90

Vasoactive intestinal peptide (VIP) is a modulator of joint pain in a rat model of osteoarthritis
J.J. McDougall, L. Watkins, Z. Li (Canada) 98

Increased sensitivity of desensitized TRPV1 by PMA occurs through PKCε-mediated phosphorylation at S800
S. Mandadi, T. Tominaga, M. Numazaki, N. Murayama, N. Saito, P.J. Armati, B.D. Roufogalis, M. Tominaga (Australia, Japan) 106

Loss of spinal μ-opioid receptor is associated with mechanical allodynia in a rat model of peripheral neuropathy
S.K. Back, J. Lee, S.K. Hong, H.S. Na (Korea) 117

The visceromotor responses to colorectal distension and skin pinch are inhibited by simultaneous jejunal distension
A.D. Shafton, J.B. Furness, D. Ferens, G. Bogeski, S.L. Koh, N.P. Lean, P.D. Kitchener (Australia) 127

The role of values in a contextual cognitive-behavioral approach to chronic pain
L.M. McCracken, S.-Y. Yang (UK, Singapore) 137

Adult attachment, anxiety, and pain self-efficacy as predictors of pain intensity and disability
P. Meredith, J. Strong, J.A. Feeney (Australia) 146

Contribution of the ventromedial hypothalamus to generation of the affective dimension of pain
G.S. Borszcz (USA) 155

doi:10.1016/S0304-3959(06)00338-1

Determining anatomical connectivities between cortical and brainstem pain processing regions in humans: A diffusion tensor imaging study in healthy controls
G. Hadjipavlou, P. Dunckley, T.E. Behrens, I. Tracey (UK) 169
Severity of mucosal inflammation as a predictor for alterations of visceral sensory function in a rat model
B. Adam, T. Liebregts, J.M. Gschossmann, C. Krippner, F. Scholl, M. Ruwe, G. Holtmann (Australia, Switzerland, Germany) 179
Changes to somatosensory detection and pain thresholds following high frequency repetitive TMS of the motor cortex in individuals suffering from chronic pain
S. Johnson, J. Summers, S. Pridmore (Australia) 187
The role of ERK signaling and the P2X receptor on mechanical pain evoked by movement of inflamed knee joint
D. Seino, A. Tokunaga, T. Tachibana, S. Yoshiya, Y. Dai, K. Obata, H. Yamanaka, K. Kobayashi, K. Noguchi (Japan) 193

CLINICAL NOTE

Patients with Ehlers Danlos syndrome and CRPS: A possible association?
J.M. Stoler, A.L. Oaklander (USA) 204

CASE REPORT

Motor cortex stimulation for central pain following a traumatic brain injury
B.C. Son, S.W. Lee, E.S. Choi, J.H. Sung, J.T. Hong (Korea) 210

LETTERS TO THE EDITOR

Response to Editorial on Albrecht et al. (2006)
P.J. Albrecht, G. Davar, E. Eisenberg, M. Pare, F.L. Rice (USA) 217
Response to PAIN editorial re: Oaklander et al. (2006)
A.L. Oaklander (USA) 218

Number 3 – August 2006

EDITORIALS

Quantitative sensory testing scaled up for multicenter clinical research networks: A promising start
K.L. Petersen, M.C. Rowbotham (USA) 219
The shadows of pain
A.V. Apkarian, D.R. Chialvo (USA) 221
Passing lanes and slow lanes into the nociceptive network of the human brain
R.-D. Treede, F.A. Lenz (Germany, USA) 223

TOPICAL REVIEW

Idiopathic pain disorders – Pathways of vulnerability
L. Diatchenko, A.G. Nackley, G.D. Slade, R.B. Fillingim, W. Maixner (USA, Australia) 226

RESEARCH PAPERS

Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values
R. Rolke, R. Baron, C. Maier, T.R. Tölle, R.-D. Treede, A. Beyer, A. Binder, N. Birbaumer, F. Birklein, I.C. Bötefür, S. Braune, H. Flor, V. Huge, R. Klug, G.B. Landwehrmeyer, W. Magerl, C. Maihöfner, C. Rolko, C. Schaub, A. Scherens, T. Sprenger, M. Valet, B. Wasserka (Germany) 231
Analysis of synchrony demonstrates 'pain networks' defined by rapidly switching, task-specific, functional connectivity between pain-related cortical structures
S. Ohara, N.E. Crone, N. Weiss, F.A. Lenz (USA) 244
Parental catastrophizing about their child's pain. The parent version of the Pain Catastrophizing Scale (PCS-P): A preliminary validation
L. Goubert, C. Eccleston, T. Vervoort, A. Jordan, G. Crombez (Belgium, The Netherlands, UK) 254
Depletion of endogenous spinal 5-HT attenuates the behavioural hypersensitivity to mechanical and cooling stimuli induced by spinal nerve ligation
W. Rahman, R. Suzuki, M. Webber, S.P. Hunt, A.H. Dickenson (UK) 264
Sex differences in adolescent chronic pain and pain-related coping
E. Keogh, C. Eccleston (UK) 275
Finding a solution to the problem of pain: Conceptual formulation and the development of the Pain Solutions Questionnaire (PaSol)
P. De Vlieger, E.V. de Bussche, C. Eccleston, G. Crombez (Belgium, The Netherlands, UK) 285
Signaling pathway of morphine induced acute thermal hyperalgesia in mice
N. Galeotti, G.B. Stefano, M. Guarna, E. Bianchi, C. Ghelardini (Italy, USA) 294
The role of tumor necrosis factor-alpha in the neuropathic pain induced by Lumbar 5 ventral root transection in rat
J.-T. Xu, W.-J. Xin, Y. Zang, C.-Y. Wu, X.-G. Liu (P.R. China) 306
Multiple pathways for noxious information in the human spinal cord
T. Tsuji, K. Inui, S. Kojima, R. Kakigi (Japan) 322

LETTERS TO THE EDITOR

Cortical pain responses in the infant brain
R. Slater, S. Boyd, J. Meek, M. Fitzgerald (UK) 332

Cortical pain responses in the infant brain: Response to Slater et al.'s Letter to the Editor
K.J.S. Anand, M. Bartocci, H. Lagercrantz (Sweden) 332
Is CRPS I a neuropathic pain syndrome?
J.L. Ochoa (USA) 334

Author Index to Volume 123 336
Subject Index to Volume 123 339
Contents to Volume 123 344